



Rizzetta & Company

# **Del Webb Bexley Community Development District**

---

## **Board of Supervisors' Meeting June 17, 2026**

**District Office:  
5844 Old Pasco Road, Suite 100  
Wesley Chapel, FL 33544  
813-994-1001**

[www.delwebbbexleycdd.org](http://www.delwebbbexleycdd.org)

**DEL WEBB BEXLEY  
COMMUNITY DEVELOPMENT DISTRICT**

Del Webb Bexley Clubhouse  
19265 Del Webb Bexley Boulevard, Land O' Lakes, FL 34638

<b>Board of Supervisors</b>	George McDermott Dennis Bauld Thomas Eurell Mario Delgado Gerry Fezzuoglio	Chairman Vice Chairman Assistant Secretary Assistant Secretary Assistant Secretary
<b>District Manager</b>	Lynn Hayes	Rizzetta & Company, Inc.
<b>District Counsel</b>	Ryan Dugan	Kutak Rock
<b>District Engineer</b>	Stephen Brletic	BDI Engineering

**All cellular phones must be placed on mute while in the meeting room.**

The Audience Comment portion of the agenda is where individuals may make comments on matters that concern the District. Individuals are limited to a total of three (3) minutes to make comments during this time.

Pursuant to provisions of the Americans with Disabilities Act, any person requiring special accommodations to participate in this meeting/hearing/workshop is asked to advise the District Office at least forty-eight (48) hours before the meeting/hearing/workshop by contacting the District Manager at (813) 933-5571. If you are hearing or speech impaired, please contact the Florida Relay Service by dialing 7-1-1, or 1-800-955-8771 (TTY) 1-800-955-8770 (Voice), who can aid you in contacting the District Office.

A person who decides to appeal any decision made at the meeting/hearing/workshop with respect to any matter considered at the meeting/hearing/workshop is advised that person will need a record of the proceedings and that accordingly, the person may need to ensure that a verbatim record of the proceedings is made including the testimony and evidence upon which the appeal is to be based.

**DEL WEBB BEXLEY COMMUNITY DEVELOPMENT DISTRICT**  
**DISTRICT OFFICE – Wesley Chapel, FL – 813-994-1001**  
**Mailing Address – 3434 Colwell Avenue, Suite 200, Tampa, FL 33614**  
[WWW.DELWEBBBEXLEYCDD.ORG](http://WWW.DELWEBBBEXLEYCDD.ORG)

---

June 10, 2026

**Board of Supervisors**  
**Del Webb Bexley**  
**Community Development District**

**REVISED AGENDA**

Dear Board Members:

The regular meeting of the Board of Supervisors of the Del Webb Bexley Community Development District will be held on **Wednesday, June 17, 2026, at 1:00 p.m.**, at the Del Webb Bexley Clubhouse located at 19265 Del Webb Blvd., Land O' Lakes, FL 34638. The following is the revised agenda for this meeting.

1. **CALL TO ORDER/ROLL CALL**
2. **AUDIENCE COMMENTS**
3. **BUSINESS ITEMS**
  - A. Cease and Desist Letter .....Tab 1
4. **STAFF REPORTS**
  - A. **Aquatics Update .....Tab 2**
  - B. District Counsel
  - C. District Engineer
    - i. Discussion of Wetland Conservation Maintenance
    - ii. **Consideration of Pond 37 Mitered End Repair Proposal.....Tab 3**
  - D. District Manager
    - i. Presentation of District Managers Report .....Tab 4
5. **BUSINESS ADMINISTRATION**
  - A. Consideration of the Minutes of the Board of Supervisors' Audit Meeting held on March 18, 2026.....Tab 5
  - B. Consideration of the Minutes of the Board of Supervisors' Budget Workshop Meeting held on March 18, 2026.....Tab 6
  - C. Consideration of the Minutes of the Audit Committee Meeting held on May 20, 2026 .....Tab 7
  - D. Consideration of the Minutes of the Board of Supervisors' Meeting held on May 20, 2026 .....Tab 8
  - E. Ratification of Operation & Maintenance Expenditures for April 2026.....Tab 9
6. **SUPERVISOR REQUESTS**
7. **ADJOURNMENT**

We look forward to seeing you at the meeting. In the meantime, if you have any questions, please do not hesitate to call us at (813) 994-1001.

Sincerely,

*Lynn Hayes*

Lynn Hayes  
District Manager

# Tab 1

# DEL WEBB BEXLEY COMMUNITY DEVELOPMENT DISTRICT

District Office – Wesley Chapel, FL – 813-994-1001  
Mailing Address – 3434 Colwell Avenue, Suite 200, Tampa, FL 33614  
[www.delwebbbexleycdd.org](http://www.delwebbbexleycdd.org)

June 5, 2026

## *Via Overnight Delivery*

William and Janet Schmitt  
5828 Shorebird Branch  
Land O'Lakes, Florida 34638


***Re: Del Webb Bexley Community Development District – Cease and Desist***

Dear Residents:

My firm serves as the District Manager of the Del Webb Bexley Community Development District (the “District”), which is a special purpose unit of local government that operates and maintains public infrastructure improvements within the Del Webb Bexley community. The District owns and is responsible for the maintenance of the Wetland Area (Tract B4, DEL WEBB BEXLEY PHASE 4, Plat Book 86, Pages 47-59, of the Official Records of Pasco County, Florida). This area is also governed by a conservation easement in favor of the Southwest Florida Water Management District (“SWFWMD”). I’ve enclosed a copy for your review.

It has come to the District’s attention that you have cleared vegetation within the Wetland Area. Documentation and photos of the incidents are enclosed herein. As the conservation easement provides, the clearing of native vegetation is not allowed. Please be advised that your activities may violate SWFWMD, Florida Department of Environmental Protection (“FDEP”), Pasco County and/or United States Army Corps of Engineers (“USACE”) regulations. The District will fully cooperate with all of the above parties in their review of this matter. To the extent the District incurs any costs or liability as a result of your actions, the District will seek full indemnification.

This letter shall serve as a notification of the District’s demand that you immediately cease and desist from all clearing of native vegetation within the Wetland Area. If you would like to discuss this matter further, please contact me at [LHayes@rizzetta.com](mailto:LHayes@rizzetta.com). Nothing in this letter shall be construed as a waiver of any rights the District may have against you with respect to this matter.

Sincerely,  
  
Lynn Hayes  
District Manager

Enclosures

cc: Ryan Dugan, District Counsel (via e-mail)  
Stephen Brletic, District Engineer (via e-mail)  
Chair, District Board of Supervisors (via e-mail)

**Complaint Inspection Form and Photographs**  
REGULATORY SUPPORT BUREAU  
INSPECTION/INVESTIGATION REPORT PHOTOGRAPHS

Inspector: Toth, Jeff

Date: 06/03/2026


Permit/CT#: 13740 . / 445409

DETAILED COMMENTS

The complainant showed me the area in the wetland where someone from the neighborhood has cut a trail through the wetland to walk his dogs. There is video and pictures of the man doing the work. I took GPS points and photos to show it does go through the wetland area. I was told the HOA has spoken with the man that did other work previously about doing things like this around the neighborhood. I will forward to Kim Dymond to look more into and see what she would like to do with the complaint.


Comments:

Photos of the trail in the wetland and GPS from the trail.



Comments:

Photos of the trail in the wetland and GPS from the trail.



Comments:

Photos of the trail in the wetland and GPS from the trail.



Comments:

Photos of the trail in the wetland and GPS from the trail.



Comments:

Photos of the trail in the wetland and GPS from the trail.



Comments:

Photos of the trail in the wetland and GPS from the trail.



Comments:

Photos of the trail in the wetland and GPS from the trail.




Comments:

Photos of the trail in the wetland and GPS from the trail.



Comments:

Photos are of the man who did the work and his information and address.



Comments:

Photos are of the man who did the work and his information and address.



Comments:

Photos are of the man who did the work and his information and address.



Comments:

Photos are of the man who did the work and his information and address.



## **Tab 2**



# **Del Webb Community Development District**

## **Waterway Inspection Report**

---

**Reason for Inspection:**

Quality Assurance

**Inspection Date:**

6/2/2026

**Prepared for:**

Del Webb

Community Development District

**Prepared by:**

Jacob Adams- Project Manager & Biologist  
Doug Agnew- Senior Environmental Consultant

[www.AdvancedAquatic.com](http://www.AdvancedAquatic.com)  
[lakes@advancedaquatic.com](mailto:lakes@advancedaquatic.com)

292 S. Military Trail, Deerfield Beach, FL 33442  
Locations in: Deerfield Beach, Fort Myers, Port St. Lucie, and Clearwater/Tampa  
1-800-491-9621



## TABLE OF CONTENTS

### Site Assessments

Sites 1-2 .....	3
Sites 3-4 .....	4
Sites 5-6 .....	5
Sites 7-8 .....	6
Sites 9-10 .....	7
Sites 11-12 .....	8
Sites 13-14 .....	9
Sites 15-16 .....	10
Sites 17-18 .....	11
Sites 19-20.....	12
Sites 21-22 .....	13
Sites 23-24 .....	14
Sites 25-26.....	15
Sites 27-28.....	16

[www.AdvancedAquatic.com](http://www.AdvancedAquatic.com)  
[lakes@advancedaquatic.com](mailto:lakes@advancedaquatic.com)

292 S. Military Trail, Deerfield Beach, FL 33442

Locations in: Deerfield Beach, Fort Myers, Port St. Lucie, and Clearwater/Tampa

1-800-491-9621



**Site Assessments**

Sites 29-30..... 17

Sites 31-32..... 18

Sites 33-34 ..... 19

Sites 35-36 ..... 20

Sites 37-38 ..... 21

Sites 39-40 ..... 22

Sites 41-42 ..... 23

Sites 43-44 ..... 24

Sump 1-2 .....25

Sump 3-4.....26

Sump 5-6.....27

Sump 7-8.....28

Sump 9-10.....29

Sump 11-12.....30

**Site Map** ..... 31

[www.AdvancedAquatic.com](http://www.AdvancedAquatic.com)  
[lakes@advancedaquatic.com](mailto:lakes@advancedaquatic.com)

292 S. Military Trail, Deerfield Beach, FL 33442

Locations in: Deerfield Beach, Fort Myers, Port St. Lucie, and Clearwater/Tampa

1-800-491-9621

## Site Assessments

### Pond 1

#### Comments:

Pond 1 looks good overall.

A trace amount of decaying, submersed Slender Spike Rush remains. This will continue to decompose. No issues were observed along the exposed sediment with aquatic weeds or invasive grasses. No issues were observed with algae growth either.

Fountain was operational.



### Pond 2

#### Comments:

Normal growth observed.

Minor growth of the submersed growth Chara and a minimal amount of algae growth was observed around the shoreline perimeter. This new growth will be targeted for treatment during the upcoming visits. A minimal amount of exposed Slender Spike Rush was observed on the exposed sediment in front of the erosion repair areas.

Fountains were operational.



**Site Assessments**

**Pond 3**

**Comments:**

Normal growth observed.

A minor amount of algae growth was observed around the perimeter of the pond, no more than 1-2ft band. This new growth will be targeted for treatment. No issues were observed along the exposed sediment with aquatic weeds or invasive grasses.



**Pond 4**

**Comments:**

Pond 4 continues to look good.

Previous treatments of the exposed sediment have resulted in minimal to no new growth of aquatic weeds and invasive grasses. No issues were observed with algae or submersed weeds. The pond's water level has remained low.



**Site Assessments**

**Pond 5**

**Comments:**

Pond 5 looks good overall.

A very minimal amount of algae growth was observed sporadically along the pond's perimeter. This new growth will be targeted for treatment. The exposed sediment shows positive results from previous treatments for invasive grasses and aquatic weeds.



**Pond 6**

**Comments:**

Normal growth observed.

A minor amount of submersed Slender Spike Rush growth was observed around the shoreline perimeter. Previous treatments for aquatic weeds and invasive grasses along the exposed sediment, have maintained minimal to no new growth.



Fountain was operational.

## Site Assessments

### Pond 7

#### Comments:

Pond 7 continues to look good.

Past treatments for algae, Slender Spike Rush, aquatic weeds, and invasive grasses continue to show positive results. Minimal to no new growth was observed. The water level continues to remain low.



### Pond 8

#### Comments:

Pond 8 looks good.

Aquatic weed and invasive grass treatments were previously performed on the exposed sediment. These treatments targeted minimal amounts of Torpedoglass and other invasive shoreline weeds. Positive results continue to be seen from these treatments. No other issues were observed on pond 8.



**Site Assessments**

**Pond 9**

**Comments:**

Normal growth observed.

Minor new growth of algae and Slender Spike Rush was observed sporadically around the perimeter. This new growth will be targeted for treatment during the upcoming visits. Previous treatments for aquatic weeds and invasive grasses along the exposed sediment, have maintained minimal new growth.



**Pond 10**

**Comments:**

Pond 10 looks good.

Although pond 10 is nearly dry, no issues with new growth were observed on this site. The undermining around the inflow structure and minor erosion in this area is still present.



**Site Assessments**

**Pond 11**

**Comments:**

Pond 11 looks good.

Torpedograss and other aquatic weeds were targeted for treatment on the exposed sediment previously. Positive results and a reduction were seen. The water level has continued to drop and remains low. A few erosion areas (see photo on right) are present along the shoreline perimeter.



**Pond 12**

**Comments:**

Pond 12 looks good.

Currently, repairs are being performed on the water feature, so some of the water from that has been drained into this pond. No issues were observed with aquatic weed or invasive grasses. The native Bulrush remains healthy even though the water level remains low.



## Site Assessments

### Pond 13

#### Comments:

Pond 13 continues to look good.

Aquatic weeds and invasive grasses were previously treated on this pond and positive results were seen along the exposed sediment. No issues were observed with algae, submersed weeds, or shoreline weeds. The water level has remained low. A few minor erosion areas were observed.



### Pond 14

#### Comments:

Pond 14 looks good.

Previous submersed weed treatments have shown positive results. No issues were observed with algae, submersed weeds, or shoreline weeds. The exposed sediment had no new growth of aquatic weeds or invasive grasses.



**Site Assessments**

**Pond 15**

**Comments:**

Pond 15 looks good.

Previously the exposed sediment was treated for a minimal amount of aquatic weeds and invasive grasses. Positive results and a reduction were observed. No issues were observed with algae, submersed weeds, or shoreline weeds. The water level has continued to remain low.



**Pond 16**

**Comments:**

Pond 16 looks good.

The exposed sediment along the shoreline perimeter was previously treated for aquatic weeds and invasive grasses. Minimal to no new growth was observed in this area. The water level has remained low.



## Site Assessments

### Pond 17

#### Comments:

Normal growth observed.

A minimal amount of submersed Slender Spike Rush growth was observed. This new growth will be targeted for treatment. The exposed sediment was previously treated for aquatic weed and invasive grass growth. No other issues were observed and the native planted areas are healthy.



### Pond 18

#### Comments:

Pond 18 continues to look good.

Positive results continue to be seen from past treatments performed on this pond. Previous treatments have targeted minimal Algae and Slender Spike Rush growth as well as aquatic weeds and invasive grasses. The water level has reduced and is at a low level. No other issues were observed.



## Site Assessments

### Pond 19

#### Comments:

Normal growth observed.

Minimal amounts of Slender Spike Rush and algae were observed in a few areas around the shoreline perimeter. The new growth on this pond will be targeted for treatment. Aquatic weeds and invasive grasses were previously treated along the exposed sediment. Fountain was operational.



### Pond 20

#### Comments:

Pond 20 looks good.

The exposed sediment has continued to be targeted for minimal new growth of aquatic weeds and invasive grasses. Positive results have also been observed from these treatments. No issues were observed during this visit other than the very low water level.



**Site Assessments**

**Pond 21**

**Comments:**

Pond 21 looks good.

This pond was previously treated for a minimal amount of aquatic weeds or invasive grasses.. Positive results and a reduction were seen. No issues were observed with algae, submersed weeds, or shoreline weeds. The water level has remained at a low level.



**Pond 22**

**Comments:**

Normal growth observed.

A trace amount of Slender Spike Rush growth was observed submersed in this pond. This new growth will be targeted for treatment. No issues were observed with aquatic weeds or invasive grasses along the exposed sediment.

Previous applications of blue pond dye were effective in helping to reduce the frequency and intensity of algal blooms.



**Site Assessments**

**Pond 23**

**Comments:**

Treatment of algal growth in progress.

Positive results have been observed from past treatments for Slender Spike Rush and algae. A reduction of both have been seen on this pond with minimal biomass remaining in a state of decomposition.

No issues were observed with aquatic weeds or invasive grasses along the exposed sediment.



**Pond 24**

**Comments:**

Pond 24 looks good.

The exposed sediment on the shoreline for pond 24 was targeted for minimal aquatic weeds and invasive grasses.

This pond has continued to look good and no issues were observed with algae, submersed weeds, or shoreline weeds.

The water level is low.



## Site Assessments

### Pond 25

#### Comments:

Pond 25 looks good.

This pond continues to look good. No issues were observed with algae, submersed weeds, or shoreline weeds. The exposed sediment was previously treated for aquatic weeds and invasive grasses. The water level has remained at a low level.



### Pond 26

#### Comments:

Pond 26 looks good overall.

Previously the exposed sediment was treated for minimal amounts of aquatic weeds and invasive grasses. Positive results continue to be seen. No issues were observed with algae or submersed weeds. The water level remains low.



**Site Assessments**

**Pond 27**

**Comments:**

Pond 27 looks good.

No issues were observed with algae, submersed weeds, or shoreline weeds. Previous aquatic weed and invasive grass treatments were performed and positive results were observed. The water level continues to remain low.



**Pond 28**

**Comments:**

Pond 28 looks good.

The exposed sediment was previously treated for aquatic weeds, exposed Slender Spike Rush and invasive grasses. Positive results and a reduction were seen. No other issues were observed with algae, submersed weeds, or shoreline weeds.

Fountain was operational.



**Site Assessments**

**Pond 29**

**Comments:**

Normal growth observed.

A trace amount of Slender Spike Rush was observed. This new growth will be targeted for treatment. The exposed sediment was previously treated for aquatic weeds and invasive grasses. No other issues were observed and the water level remains low.



**Pond 30**

**Comments:**

Normal growth observed.

A trace amount of Slender Spike Rush was observed. This new growth will be targeted for treatment. The exposed sediment was previously treated for aquatic weeds and invasive grasses. No other issues were observed and the water level remains low.



**Site Assessments**

**Pond 31**

**Comments:**

Pond 31 looks good.

Previously this pond was targeted for a trace amount of aquatic weeds and invasive grasses on the exposed sediment. Positive results and a reduction were seen. No issues were observed with algae, submersed weeds, or shoreline weeds. The water level has remained at a low level.



**Pond 32**

**Comments:**

Pond 32 looks good.

Previous treatments targeted a minimal amount aquatic weeds and invasive grasses. A reduction and positive results were seen. The water level has remained low and some minor erosion areas were observed. No issues were observed with algae, submersed weeds, or shoreline weeds.



**Site Assessments**

**Pond 33**

**Comments:**

Pond 33 looks good.

No issues were observed with algae, submersed weeds, or shoreline weeds. The water level is low. The exposed sediment was previously treated for aquatic weeds and invasive grasses. Positive results were seen. Some areas of minor erosion were present.



**Pond 34**

**Comments:**

Pond 34 looks good.

The exposed sediment was previously treated for aquatic weeds and invasive grasses. The water level is low. No issues were observed with algae or submersed weeds. Very minimal, new aquatic weed and invasive grass growth was observed. These will continue to be targeted for treatment.



**Site Assessments**

**Pond 35**

**Comments:**

Pond 35 looks good.

Minimal amounts of aquatic weeds and invasive grasses were previously treated and have shown positive results. No other issues were observed with algae, submersed weeds, or shoreline weeds. The water level is slightly low.



**Pond 36**

**Comments:**

Pond 36 looks good.

No issues were observed on this site with invasive vegetation. This site is functioning as designed.



**Site Assessments**

**Pond 37**

**Comments:**

Pond 37 looks good. No issues were observed with algae, submersed weeds, or shoreline weeds. Aquatic weeds were previously treated and have shown positive results. The undermining of the concrete inflow pipe apron on this pond still persists. Recommend repairing this soon as this is a heavy structure and could be damaged if the undermining continues.



**Pond 38**

**Comments:**

Pond 38 looks good. No issues were currently observed with algae, submersed weeds, or shoreline weeds. This pond has continued to function as designed.



**Site Assessments**

**Pond 39**

**Comments:**

Pond 39 looks good.

A minimal amount of Torpedograss, Slender Spike Rush and other aquatic weeds were previously treated around the shoreline perimeter. No issues were observed with algae, submersed weeds, or shoreline weeds. The water level has remained at a low level.



**Pond 40**

**Comments:**

Pond 40 looks good.

The water level has decreased and is at a low level. Aquatic weeds and invasive grasses were previously targeted for treatment on the exposed sediment and positive results were seen. No issues were observed with algae, submersed weeds, or shoreline weeds.



**Site Assessments**

**Pond 41**

**Comments:**

Pond 41 looks good.

The exposed sediment around the shoreline was previously treated for a minimal amount of aquatic weeds and invasive grasses. Positive results were observed from this treatment. No issues were observed with algae, submersed weed, or shoreline weeds. The water level has remained at a low level.



**Pond 42**

**Comments:**

Pond 42 looks good.

Previously a minor amount of submersed Slender Spike Rush was treated and positive results have been seen. The exposed sediment around the perimeter was previously treated for a minimal amount of Torpedograss and Slender Spike Rush growth with positive results seen as well.



**Site Assessments**

**Pond 43**

**Comments:**

Pond 43 looks good.

No issues were observed with algae, submersed weeds, or shoreline weeds. Treatments have continued to target a minimal amount of aquatic weed and invasive grass growth on the exposed sediment. Positive results continue to be seen on this pond. The water level is low.



**Pond 44**

**Comments:**

Pond 44 looks good.

No issues were observed with algae, submersed weeds, or shoreline weeds. Past treatments targeted algae and Slender Spike Rush and since then, this pond has remained clear of both. The water level is slightly low.



**Site Assessments**

**Sump 1**

**Comments:**

Site looks good.

This site is currently dry with no issues observed and is clear to flow and function properly.



**Sump 2**

**Comments:**

Site looks good.

This site is currently dry with no issues observed and is clear to flow and function properly.



**Site Assessments**

**Sump 3**

**Comments:**

Site looks good.

This site has a low water level, with minimal algae observed and is clear to flow and function properly.



**Sump 4**

**Comments:**

Site looks good.

This site has a low water level, with no issues observed and is clear to flow and function properly.



## Site Assessments

### Sump 5

**Comments:**

Site looks good.

This site has a low water level, with no issues observed and is clear to flow and function properly.



### Sump 6

**Comments:**

Site looks good.

This site has a low water level, with no issues observed and is clear to flow and function properly.



**Site Assessments**

**Sump 7**

**Comments:**

Site looks good.

This site has a low water level, with no issues observed and is clear to flow and function properly.



**Sump 8**

**Comments:**

Site looks good.

This site is currently low with minimal observed and is clear to flow and function properly.



**Site Assessments**

**Sump 9**

**Comments:**

Site looks good.

This site is currently low with no issues observed and is clear to flow and function properly.



**Sump 10**

**Comments:**

Site looks good.

This site is nearly dry with no issues observed and is clear to flow and function properly. Undermining around inflow structure is present.



**Site Assessments**

**Sump 11**

**Comments:**

Site looks good.

This site is nearly dry with no issues observed and is clear to flow and function properly.



**Sump 12**

**Comments:**


Site looks good.

This site is nearly dry with no issues observed and is clear to flow and function properly. Some undermining of the inflow structure was present.








### Del Webb Bexley CDD

 Pond Perimeter

 Pond

 Sump





**Del Webb Bexley CDD Monthly Lakes Report For  
May 2026**

	5/6/2026				5/13/2026				5/20/2026				5/27/2026			
	A.T.	B.W.G	S.A.	F.A.	A.T.	B.W.G.	S.A.	F.A.	A.T.	B.W.G.	S.A.	F.A.	A.T.	B.W.G.	S.A.	F.A.
Pond 1						X										
Pond 2														X		
Pond 3						X										
Pond 4						X										
Pond 5		X	X	X		X										
Pond 6						X										
Pond 7		X	X	X		X			X							
Pond 8		X	X	X		X			X							
Pond 9						X										
Pond 10						X										
Pond 11						X										
Pond 12										X						
Pond 13						X										
Pond 14						X										
Pond 15		X	X	X		X										
Pond 16		X	X	X		X										
Pond 17										X						
Pond 18		X	X	X						X						
Pond 19						X										
Pond 20		X	X	X						X						
Pond 21										X						
Pond 22		X	X	X						X						
Pond 23		X	X	X					X	X						
Pond 24		X	X	X						X						
Pond 25		X	X	X						X						
Pond 26		X	X	X						X						
Pond 27										X						
Pond 28						X										
Pond 29														X		
Pond 30														X		
Pond 31														X		
Pond 32		X	X	X										X		
Pond 33		X	X	X										X		
Pond 34														X		
Pond 35														X		
Pond 36														X		
Pond 37		X	X	X										X		
Pond 38														X		
Pond 39														X		
Pond 40														X		
Pond 41														X		
Pond 42														X		
Pond 43														X		
Pond 44		X	X	X										X		
Sump 1										X						
Sump 2										X						
Sump 3										X						
Sump 4										X						
Sump 5										X						
Sump 6										X						
Sump 7										X						
Sump 8										X						
Sump 9										XX						
Sump 10										X						
Sump 11										X						
Sump 12										X						

KEY
Algae Treatment = A.T.
Border Weed Growth = B.W.G.
Submersed Aquatics = S.A.
Floating Aquatics = F.A.

## **Tab 3**

# ESTIMATE

Finn Outdoor LLC  
730 20th Ave N  
Saint Petersburg, FL 33704

robb@finnoutdoor.com  
+1 (813) 957-6075



## Bill to

Del Webb Bexley CDD  
C/O Rizetta & Company  
5844 Old Pasco Road STE 100  
Wesley Chapel, Florida 33544

## Ship to

Del Webb Bexley CDD  
C/O Rizetta & Company  
5844 Old Pasco Road STE 100  
Wesley Chapel, Florida 33544

## Estimate details

Estimate no.: 2526  
Estimate date: 05/29/2026

#	Date	Product or service	Description	Qty	Rate	Amount
1.		<b>MES Maintenance</b>	Pond 37 -- Fill/compact under MES in eroded area with a mixture of #57 limestone and fill soil; Install geotextile liner and limestone rip rap to five feet on both sides of MES; Correct grade as needed with fill soils above MES (to stable grass line) and along the grass line including approximately 10 feet to the East and 20 feet to the West of the structure (approximately 500 sq ft).	1	\$4,950.00	\$4,950.00

**Total** **\$4,950.00**

## Note to customer

All invoices are due and payable within 30 days of submittal unless otherwise agreed to in writing. Late fees of up to 3% of invoice amount may be added if payment not received within 30 days.

Accepted date

Accepted by

## **Tab 4**



**UPCOMING DATES TO REMEMBER**

- **Next Budget Workshop & Regular Meeting:** July 15, 2026 @ 1:00 PM
- **Next Election:** The term expires for Thomas Eurell Seat 1 & Dennis Bauld Seat 2 and are scheduled for the General Election in November 2026. The qualifying period for Board candidates will be from Noon June 8, 2026 to Noon June 12, 2026. Newly elected Board members for each seat will have a 4-year term and assume office on the second Tuesday following the General Election on November 3, 2026.

District  
Manager's  
Report

June 17

2026

D  
E  
L  
  
W  
E  
B  
B  
  
B  
E  
X  
L  
E  
Y  
  
C  
D  
D

<u>FINANCIAL SUMMARY</u>	<u>4/30/2026</u>
General Fund Cash & Investment Balance:	\$444,598
Reserve Fund Cash & Investment Balance:	\$76,825
Debt Service Fund Investment Balance:	\$1,148,929
<b>Total Cash and Investment Balances:</b>	<b>\$1,670,352</b>
<b>General Fund Expense Variance: \$66,208</b>	<b>Under Budget</b>

# Tab 5

**MINUTES OF MEETING**

Each person who decides to appeal any decision made by the Board with respect to any matter considered at the meeting is advised that the person may need to ensure that a verbatim record of the proceedings is made, including the testimony and evidence upon which such appeal is to be based.

**DEL WEBB BEXLEY COMMUNITY DEVELOPMENT DISTRICT**

The audit committee meeting of the Del Webb Bexley Community Development District was held on **Wednesday, March 18, 2026, at 2:24 p.m.**, at the Del Webb Bexley Clubhouse, located at 19265 Del Webb Bexley Blvd., Land O' Lakes, FL 34638.

Present and constituting a quorum were:

George McDermott	<b>Committee Member</b>
Dennis Bauld	<b>Committee Member</b>
Mario Delgado	<b>Committee Member</b>
Gerry Fezzuoglio	<b>Committee Member</b>
Thomas Eurell	<b>Committee Member</b>

Also present were:

Lynn Hayes	<b>District Manager, Rizzetta &amp; Co., Inc.</b>
Ryan Dugan	<b>District Counsel, Kutak Rock (<i>via phone</i>)</b>
Stephen Brletic	<b>District Engineer, BDI Engineering</b>
Doug Agnew	<b>Representative, Advanced Aquatics</b>

Audience	<b>Present</b>
----------	----------------

**FIRST ORDER OF BUSINESS** **Call to Order**

Mr. Hayes called the meeting to order, conducted roll call, and verified that a quorum was present. The meeting commenced at 2:24 p.m.

**SECOND ORDER OF BUSINESS** **Consideration of Audit Proposal Instructions**

Audit proposals will be for 5 years.

On a motion from Mr. Eurell, seconded by Mr. McDermott, with all in favor, the Audit Committee approved the Auditing Services Proposal Instructions, for the Del Webb Bexley Community Development District.



## **Tab 6**

**MINUTES OF MEETING**

Each person who decides to appeal any decision made by the Board with respect to any matter considered at the meeting is advised that the person may need to ensure that a verbatim record of the proceedings is made, including the testimony and evidence upon which such appeal is to be based.

**DEL WEBB BEXLEY COMMUNITY DEVELOPMENT DISTRICT**

The budget workshop meeting of the Board of Supervisors of Del Webb Bexley Community Development District was held on **Wednesday, March 18, 2026, at 1:00 p.m.**, at the Del Webb Bexley Clubhouse, located at 19265 Del Webb Bexley Blvd., Land O' Lakes, FL 34638.

Present and constituting a quorum were:

George McDermott	<b>Board Supervisor, Chairman</b>
Dennis Bauld	<b>Board Supervisor, Vice Chairman</b>
Mario Delgado	<b>Board Supervisor, Asst. Secretary</b>
Gerry Fezzuoglio	<b>Board Supervisor, Asst. Secretary</b>
Thomas Eurell	<b>Board Supervisor, Asst. Secretary</b>

Also present were:

Lynn Hayes	<b>District Manager, Rizzetta &amp; Co., Inc.</b>
Ryan Dugan	<b>District Counsel, Kutak Rock (<i>via phone</i>)</b>
Stephen Brletic	<b>District Engineer, BDI Engineering</b> <i>(joined at 1:14 p.m.)</i>
Doug Agnew	<b>Representative, Advanced Aquatics</b> <i>(joined at 1:32 p.m.)</i>

Audience	<b>Present</b>
----------	----------------

**FIRST ORDER OF BUSINESS**

**Call to Order**

Mr. Hayes called the meeting to order, conducted roll call, and verified that a quorum was present. The meeting commenced at 1:00 p.m.

**SECOND ORDER OF BUSINESS**

**Audience Comments**

An audience member addressed the Board regarding the pond erosion work.

51 **THIRD ORDER OF BUSINESS**

52 **Discussion of Budget for Fiscal Year**  
53 **2026-2027**

54 The Board conducted the FY 2026/2027 budget workshop. The District Manager,  
55 District Engineer, District Counsel, and the Board discussed pond bank 2 erosion  
56 project and how to pay for this project in the FY 2025/2026 budget. The Board agreed to  
57 fund the FY 2025/2026 pond 2 bank erosion project as follows using \$110K from  
58 Reserve Fund, \$100K from Operating Account in the General Fund, \$50K from  
59 Stormwater Repairs Line in General Fund (all of it), and \$40,254 from Misc Contingency  
60 line in the General Fund. There was discussion about funding the reserve fund and  
61 other pond bank erosion projects for the FY 2026/2027 budget. The Board agreed to  
62 add \$280,658 in the FY 2026/2027 reserve fund to fund the reserves and for next pond  
63 bank erosion projects from the District Engineer priority list/plan that the Board had  
64 approved in FY 2025/2026 budget, but these will now occur in the FY 2026/2027 fiscal  
65 year due to the severity of the pond 2 bank erosion issues.

66 **FOURTH ORDER OF BUSINESS**

67 **Adjournment**

68 The Board adjourned the budget workshop meeting at 2:15 p.m.

69  
70  
71  
72  
73  
74 \_\_\_\_\_  
Secretary/Assistant Secretary

\_\_\_\_\_  
Chairman/ Vice Chairman

# Tab 7

**MINUTES OF MEETING**

Each person who decides to appeal any decision made by the Board with respect to any matter considered at the meeting is advised that the person may need to ensure that a verbatim record of the proceedings is made, including the testimony and evidence upon which such appeal is to be based.

**DEL WEBB BEXLEY COMMUNITY DEVELOPMENT DISTRICT**

The audit committee meeting of the Del Webb Bexley Community Development District was held on **Wednesday, May 20, 2026, at 1:00 p.m.**, at the Del Webb Bexley Clubhouse, located at 19265 Del Webb Bexley Blvd., Land O' Lakes, FL 34638.

Present and constituting a quorum were:

George McDermott	<b>Committee Member</b>
Dennis Bauld	<b>Committee Member</b>
Mario Delgado	<b>Committee Member</b>
Gerry Fezzuoglio	<b>Committee Member</b>
Thomas Eurell	<b>Committee Member</b>

Also present were:

Lynn Hayes	<b>District Manager, Rizzetta &amp; Co., Inc.</b>
Ryan Dugan	<b>District Counsel, Kutak Rock (via phone)</b>
Kirk Wagner	<b>District Engineer, BDI Engineering</b>

Audience	<b>Present</b>
----------	----------------

**FIRST ORDER OF BUSINESS** **Call to Order**

Mr. Hayes called the meeting to order, conducted roll call, and verified that a quorum was present. The meeting commenced at 1:00 p.m.

**SECOND ORDER OF BUSINESS** **Ranking of Audit Proposals**

**Audit services agreement will be for 5 years.** Ranking as follows: DiBartolomeo, McBee, Hartley & Barnes, P.A. with 475 points, Grau & Associates with 474 points, Berger, Toombs Elam, Gaines & Frank with 468 points, and Racquel McIntosh with 423 points.

On a motion from Mr. McDermott, seconded by Mr. Eurell, with all in favor, the Audit Committee approved the Auditing Services Proposal and recommended to enter into an agreement with the number one ranked firm, DiBartolomeo, McBee, Hartley, & Barnes, P.A. with 475 total points, for the Del Webb Bexley Community Development District.

50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64


On a motion from Mr. McDermott, seconded by Mr. Eurell, with all in favor, the Audit Committee approved authorizing District Counsel to prepare and provide a notice contract award letter to all proposers and to authorize the Chair to execute the new contract agreement with the number one ranked firm, DiBartolomeo, McBee, Hartley & Barnes, P.A., for Auditing Services for 2026-2027, for the Del Webb Bexley Community Development District.

**FIFTH ORDER OF BUSINESS** **Adjournment**

On a motion from Mr. McDermott, seconded by Mr. Eurell, the Audit Committee adjourned the meeting at 1:05 p.m., for the Del Webb Bexley Community Development District.

---

Secretary/Assistant Secretary Chairman/ Vice Chairman



# Tab 8



**THIRD ORDER OF BUSINESS**

**Audit Committee Recommendation**

The audit committee met prior to this board meeting and ranked DiBartolomeo, McBee, Hartley & Barnes, P.A. as the number one bidder with 475 total points.

On a Motion by Mr. McDermott, seconded by Mr. Eurell, with all in favor, the Board of Supervisors accepted the Audit Committee Recommendation to authorize District Counsel to enter into a contract with the number one bidder, DiBartolomeo, McBee, Hartley & Gaines P.A., for Del Webb Bexley Community Development District.

**FOURTH ORDER OF BUSINESS**

**Presentation of Fiscal Year 2026-2027  
Proposed Budget**

**i. Consideration of Resolution 2026-02; Approving Fiscal Year 2026-2027  
Proposed Budget**

On a Motion by Mr. McDermott, seconded by Mr. Eurell, with all in favor, the Board of Supervisors adopted Resolution 2026-02; Approving Fiscal Year 2026-2027 Proposed Budget and Setting the Public Hearing on August 19, 2026, at 1:00 p.m., for Del Webb Bexley Community Development District.

**FIFTH ORDER OF BUSINESS**

**Consideration of Resolution 2026-03;  
Set Public Hearing for Revised Rules  
of Procedure**

On a Motion by Mr. McDermott, seconded by Mr. Bauld, with all in favor, the Board of Supervisors adopted Resolution 2026-03; Setting Public Hearing for Revised Rules of Procedure on August 19, 2026, at 1:00 p.m., for Del Webb Bexley Community Development District.

**SIXTH ORDER OF BUSINESS**

**Staff Reports**

**A. Aquatics Update**

Mr. Agnew presented his report to the Board of Supervisors for April and May 2026. Mr. Agnew explained that the pond's conditions were due to lack of rainwater and need substantial rain to fill. Mr. Agnew discussed with Board of Supervisors the wetland encroachment and recommended that the Homeowner Association landscaper cut the wetland at the property line vertically.

**B. District Counsel**

District Counsel stated that the items that he wished to address were already covered. There were no questions from the Board of Supervisors.

**C. District Engineer**

Mr. Brletic presented his report to the Board of Supervisors regarding Pond #2 Erosion Project. The project began on April 27, 2026, and is in its fourth week. Concerns were raised about the contractor's adherence to the schedule and methodology. The engineering team (Stephen Brletic, Gerry Fezzuoglio, and Kirk Wagner) will issue a formal memo to the contractor, requesting they complete one full section as a test case before progressing with the project. The memo will also address concerns about schedule, progress, and staffing. Mr. Eurell

88 appraised the Board of Supervisors with the issue with pond 36 shoreline erosion  
89 and the mitered end crack at pond 37. The Board of Supervisors requested that  
90 the District Engineer provide a quote to the District Manager address mitered end  
91 concerns at pond 37. Mr. McDermott asked District Counsel the status of the  
92 Environmental Resource Permits and when they are due for recertification.

93 **D. District Manager**

94 Mr. Hayes presented his report and reminded the Board of Supervisors that  
95 the next regular meeting will be on June 17, 2026, at 1:00 p.m. Mr. Hayes also  
96 presented the Registered Voter Count (as of 04/15/2026 the count is 1,435) and  
97 the 1<sup>st</sup> quarter Website Compliance Report showing that the District passed all  
98 ADA Website Accessibility and Florida Statute 189.069 requirements.

100 **SEVENTH ORDER OF BUSINESS**

**Consideration of the Minutes of the  
Board of Supervisors Meeting held on  
March 18, 2026**

101  
102  
103  
104 Mr. Hayes presented the Regular Board of Supervisors meeting minutes for  
105 March 18, 2026. It was noted that there were typos and information to be added.  
106

On a motion from Mr. McDermott, seconded by Mr. Bauld, with all in favor, the Board of Supervisors approved the March 18, 2026 Meeting Minutes as amended for the Del Webb Bexley Community Development District as amended.

107  
108 **EIGHTH ORDER OF BUSINESS**

**Ratification Operation & Maintenance  
Expenditures for March 2026**

109  
110  
111 Mr. Hayes reviewed March 2026 \$29,476.01 Operations & Maintenance  
112 Expenditures for the Del Webb Bexley Community Development District.  
113

On a motion from Mr. McDermott, seconded by Mr. Bauld, with all in favor, the Board of Supervisors ratified the March 2026 \$29,476.01 Operation & Maintenance Expenditures, for the Del Webb Bexley Community Development District

114  
115 **NINTH ORDER OF BUSINESS**

**Supervisor Requests**

116  
117 Mr. McDermott requested that the existing drainage plan community map be sent  
118 to him and the engineer and posted on the Del Webb Bexley Community Development  
119 District website by the District Manager.

120 Mr. Eurell requested to have three proposals for conservation area maintenance  
121 from August 2025 updated for the next meeting and the Board of Supervisors discussed  
122 and declined to include them. Mr. Eurell noted that \$30,000 is already budgeted  
123 advocated for hiring professionals. Mr. McDermott and another supervisor countered,  
124 arguing that conservation areas are natural, not decorative, and that the district's  
125 responsibility is limited. Mr. Bauld supported a "spot treating" approach over a perpetual  
126 contract. Mr. Hayes asked the board for direction, after a brief discussion, the board  
127 agreed to add Discussion of Wetland Conservation Maintenance to the next meeting's  
128 agenda for discussion.



# Tab 9

# DEL WEBB BEXLEY COMMUNITY DEVELOPMENT DISTRICT

---

District Office · Wesley Chapel, Florida · (813) 933-5571  
Mailing Address · 3434 Colwell Avenue, Suite 200 · Tampa, Florida 33614  
[www.delwebbbexleycdd.org](http://www.delwebbbexleycdd.org)

## Operation and Maintenance Expenditures April 2026 For Board Approval

Attached please find the check register listing the Operation and Maintenance expenditures paid from April 1, 2026 through April 30, 2026. This does not include expenditures previously approved by the Board.

The total items being presented:                   **\$10,756.08**

Approval of Expenditures:

---

\_\_\_\_\_ Chairperson

\_\_\_\_\_ Vice Chairperson

\_\_\_\_\_ Assistant Secretary

# Del Webb Bexley Community Development District

## Paid Operation & Maintenance Expenditures

April 1, 2026 Through April 30, 2026

<u>Vendor Name</u>	<u>Check Number</u>	<u>Invoice Number</u>	<u>Invoice Description</u>	<u>Invoice Amount</u>
Advanced Aquatic Services, Inc.	100184	10563295	Lake Maintenance 04/26	\$ 4,324.00
Brletic Dvorak, Inc.	100185	2399	Engineering Services 03/26	\$ 840.00
Rizzetta & Company, Inc.	100183	INV0000108026	Accounting Services 04/26	<u>\$ 5,592.08</u>
<b>Report Total</b>				<b><u>\$ 10,756.08</u></b>

Advanced Aquatic Services Inc.  
292 South Military Trail  
Deerfield Beach, FL 33442  
954-596-2127

4/1/2026
10563295
\$4,324.00

Bill To
Del Webb Bexley CDD C/O Rizzetta & Company, Inc PO Box 32414 Charlotte, NC 28232

Due Date
Net 30
5/1/2026

Monthly Lake Maintenance.  
\*\*\*THE INVOICE DATE ABOVE INDICATES MONTH SERVICES WILL BE  
PERFORMED\*\*\*

4,324.00

Advanced Aquatic Services Inc.  
292 South Military Trail  
Deerfield Beach, FL 33442  
954-596-2127

\$4,324.00

**Brletic Dvorak Inc**

536 4th Ave South Unit 4  
Saint Petersburg, FL 33701 US  
(813) 361-1466  
sbrletic@bdiengineers.com



**INVOICE**

**BILL TO**

Del Webb Bexley CDD  
Rizzetta & Company  
3434 Colwell Avenue  
Suite 200  
Tampa, Florida 33614  
United States

INVOICE 2399  
DATE 03/31/2026  
TERMS Net 30  
DUE DATE 04/30/2026

**PROJECT NAME**

Del Webb Bexley CDD

	DESCRIPTION	QTY	RATE	AMOUNT
Project Manager	[March 18]	4:00	210.00	840.00

BALANCE DUE

**\$840.00**

Pay invoice



Del Webb Bexley COMMUNITY DEVELOPMENT DISTRICT  
Mar-26

	<u>HOURS</u>	<u>RATE</u>	<u>PERSON</u>	<u>TOTAL</u>
<b><u>CDD Activities</u></b>				
Board Meeting Prep, Attendance, Follow up Engineer's Reports/Invoicing, Misc. Emails to DM/Board	4.00	\$210	S. Brletic	\$840.00
		\$180	K. Wagner	\$0.00
Pond 2 Bank Restoration RFP - Site Visit, Meetings, RFP coordination		\$210	S. Brletic	\$0.00
		\$120	K. Wagner	\$0.00
		\$210	R. Dvorak	\$0.00
<b>INVOICE TOTAL</b>	<b>4.00</b>			<b>\$840.00</b>

---

**Rizzetta & Company, Inc.**  
 3434 Colwell Avenue  
 Suite 200  
 Tampa FL 33614

**Invoice**

Date	Invoice #
4/2/2026	INV0000108026

**Bill To:**

Del Webb Bexley CDD 3434 Colwell Avenue Suite 200 Tampa FL 33614
---

Services for the month of	Terms	Client Number
April	Upon Receipt	00178

Description	Qty	Rate	Amount
Accounting Services	1.00	\$1,743.08	\$1,743.08
Administrative Services	1.00	\$432.08	\$432.08
Dissemination Services	1.00	\$416.67	\$416.67
Bond Amortization Schedules	1.00	\$600.00	\$600.00
Financial & Revenue Collections	1.00	\$341.00	\$341.00
Management Services	1.00	\$1,949.25	\$1,949.25
Website Compliance & Management	1.00	\$110.00	\$110.00
<b>Subtotal</b>			\$5,592.08
<b>Total</b>			\$5,592.08